Page 3

C. Amendment to the Claims

This listing of claims will replace all prior versions, and listings, of claims in this application.

1. (Currently amended) A cut cornered mixed cut gemstone, comprising a girdle, a crown

above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and four

crown corners, each crown side and corner having a length along the girdle, said corner length

being substantially less than said side length, said crown also comprising at least two steps,

including a first step from the girdle to a crown break, and a second step from the crown break to

a table break, said crown break defined by lines parallel with said girdle, said crown also having a

substantially flat table, said table having one facet having four sides and four corners defined by

lines parallel with said girdle, said table corner length being substantially less than said table side

length,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four

pavilion corners defined by eight rib lines extending from the girdle to the culet, wherein each rib

line extends in a substantially straight line when viewed from the bottom of the pavilion.

2. The gemstone according to claim 1, wherein the rib lines extend substantially

continuously from the girdle to the culet.

3. (Currently amended) [The gemstone according to claim 1,] A cut cornered mixed cut

gemstone, comprising a girdle, a crown above said girdle and a pavilion below said girdle,

Page 4

said crown comprising a width and length formed by two pairs of opposing crown sides and four

crown corners, each crown side and corner having a length along the girdle, said corner length

being substantially less than said side length, said crown also comprising at least two steps,

including a first step from the girdle to a crown break, and a second step from the crown break to

a table break, said crown break defined by lines parallel with said girdle, said crown also having a

substantially flat table, said table having one facet having four sides and four corners defined by

lines parallel with said girdle,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four

pavilion corners defined by eight rib lines extending from the girdle to the culet, wherein each rib

line extends in a substantially straight line when viewed from the bottom of the pavilion,

wherein the pavilion sides and corners each comprise a plurality of facets.

4. (Currently amended) [The gemstone according to claim 1,] A cut cornered mixed cut

gemstone, comprising a girdle, a crown above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and four

crown corners, each crown side and corner having a length along the girdle, said corner length

being substantially less than said side length, said crown also comprising at least two steps,

including a first step from the girdle to a crown break, and a second step from the crown break to

a table break, said crown break defined by lines parallel with said girdle, said crown also having a

substantially flat table, said table having one facet having four sides and four corners defined by

lines parallel with said girdle,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

Reissue of Patent No.: 6,363,745

Page 5

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four

pavilion corners defined by eight rib lines extending from the girdle to the culet, wherein each rib

line extends in a substantially straight line when viewed from the bottom of the pavilion,

wherein each pavilion side has only two facets along each rib line.

5. (Original) A cut cornered mixed cut gemstone, comprising a girdle, a crown above said

girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and four

crown corners, each crown side and corner having a length along the girdle, said corner length

being substantially less than said side length, said crown also comprising at least two steps,

including a first step from the girdle to a crown break, and a second step from the crown break to

a table break, said crown also having a substantially flat table,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four

pavilion corners defined by eight rib lines extending from the girdle to the culet, wherein each

pavilion corner has only two facets along each rib line.

6. (Currently amended) A cut cornered mixed cut gemstone, comprising a girdle, a crown

above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and a

substantially flat table, said table having four sides and four cut corners, said table sides being

substantially parallel with the girdle,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four

Reissue of Patent No.: 6,363,745

Page 6

corners defined by rib lines extending from the girdle to the cutlet, said rib lines extending in a

straight line from the girdle to the cutlet when viewed from the bottom of the pavilion, wherein

each pavilion side comprises at least three facets each having a facet corner intersecting at a

common facet intersection point.

7. (Currently amended) A cut cornered mixed cut gemstone comprising a girdle, a crown

above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and a

substantially flat table, said table having four sides and four cut corners, said table sides being

substantially parallel with the girdle,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides defined by rib

lines extending from the girdle to the culet, said rib lines extending in a straight line from the

girdle to the culet when viewed from the bottom of the pavilion, wherein each pavilion side

comprises a plurality of facets each having a facet corner intersecting at a common facet

intersection point, wherein the plurality of facets on each pavilion side is at least four.

8. (Original) A cut cornered mixed cut gemstone, comprising a girdle, a crown above said

girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and a

substantially flat table,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides defined by rib

lines extending from the girdle to the culet and two pairs of opposing pavilion corners, wherein

Reissue of Patent No.: 6,363,745

Page 7

each pavilion side and corner comprises a plurality of facets, and wherein each pavilion side and

corner has only two facets along each rib line.

9. (Currently amended) A cut cornered mixed cut gemstone, comprising a girdle defined

by girdle lines, a crown above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and four

crown corners, wherein each crown side intersects with its adjacent corners at about the same

angle of intersection, said crown also comprising at least two steps, including a first step from the

girdle to a crown break, and a second step from the crown break to a table break, said crown also

having a substantially flat table, said table having one facet having four sides and four corners

defined by lines parallel to said girdle lines, and wherein all of the steps in each side of the crown

have the same facet corner angles,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four

pavilion corners defined by eight distinct rib lines extending from the girdle entirely to the culet,

said pavilion sides and corners extending entirely to the cutlet.

10. (Original) A cut cornered mixed cut gemstone, comprising a girdle defined by girdle

lines, a crown above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides, four

crown corners, said crown also comprising at least two steps, including a first step from the girdle

to a crown break, and a second step from the crown break to a table break, each crown corner

having a facet defined by a facet line common with a girdle line, said crown also having a

substantially flat table,

Reissue of Patent No.: 6,363,745

Page 8

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four

pavilion corners defined by eight rib lines extending from the girdle to the culet, wherein facet

intersection lines in the pavilion define where two facets have a common side, said pavilion being

devoid of any facet intersection lines parallel with the girdle.

11. (Original) A cut cornered mixed cut gemstone, comprising a girdle, a crown above

said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and a

substantially flat table, said pavilion having a bottom and comprising a substantially centrally

located culet at the bottom of the pavilion, said pavilion also comprising two pairs of opposing

pavilion sides and four corners defined by rib lines extending from the girdle to the culet, wherein

each pavilion side and corner comprises a plurality of facets each having a facet corner

intersecting at a common facet intersection point inwardly of said rib lines, and wherein each

pavilion side and corner has a facet with a facet corner at the culet.

12. (Currently amended) A cut cornered mixed cut gemstone, comprising a girdle, a

crown above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and a

substantially flat table having four sides and four cut corners, said pavilion having a bottom and

comprising a substantially centrally located culet at the bottom of the pavilion, said pavilion also

comprising two pairs of opposing pavilion sides defined by distinct rib lines extending from the

girdle to the culet, wherein each rib line extends in a substantially straight line when viewed from

the bottom of the pavilion, wherein each pavilion side comprises a plurality of facets each and

Reissue of Patent No.: 6,363,745

Page 9

every one of said plurality having a facet corner intersecting at a common facet intersection point,

wherein one of the facets in the pavilion side is a girdle star facet extending downwardly from the

girdle, which girdle star facet has only three sides.

13. (Currently amended) A cut cornered mixed cut gemstone, comprising a girdle, a

crown above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and a

substantially flat table having four sides and four corners, said pavilion having a bottom and

comprising a substantially centrally located culet at the bottom of the pavilion, said pavilion also

comprising two pairs of opposing pavilion sides defined by distinct rib lines extending from the

girdle to the culet, wherein each pavilion side comprises a plurality of facets each having a facet

corner intersecting at a common facet intersection point and each pavilion facet having no more

than four sides, and wherein each pavilion side has a facet with a facet corner at the culet.

14. (Original) A cut cornered mixed cut gemstone, comprising a girdle, a crown above

said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and a

substantially flat table, said pavilion having a bottom and comprising a substantially centrally

located culet at the bottom of the pavilion, said pavilion also comprising two pairs of opposing

pavilion sides and four pavilion corners defined by eight corners rib lines extending in a straight

line from the girdle to the culet when viewed from the bottom of the pavilion, wherein each

pavilion side and corner comprises a plurality of facets, and wherein each pavilion side and

corner has only two facets along each rib line, and one facet along the girdle.

15. (Currently amended) A cut cornered mixed cut gemstone, comprising a girdle, a

crown above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and four

crown corners, each crown side and corner having a length along the girdle, said corner length

being substantially less than said side length, said crown also comprising at least two steps,

including a first step from the girdle to a crown break, and a second step from the crown break to

a table break, said crown also having a substantially flat table, said table having one facet having

four sides and four corners defined by lines parallel with said girdle, said table corners being

substantially less than said table sides,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four

pavilion corners defined by eight rib lines extending from the girdle to the culet, said pavilion

sides and corners extending entirely to the culet.

16. (Currently amended) [The gemstone according to claims 1, ] A cut cornered mixed

cut gemstone, comprising a girdle, a crown above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and four

crown corners, each crown side and corner having a length along the girdle, said corner length

being substantially less than said side length, said crown also comprising at least two steps,

including a first step from the girdle to a crown break, and a second step from the crown break to

a table break, said crown also having a substantially flat table, said table having one facet having

four sides and four corners defined by lines parallel with said girdle, said table corners being

substantially less than said table sides,

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom

of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four pavilion corners defined by eight rib lines extending from the girdle to the culet, said pavilion sides and corners extending entirely to the culet,

wherein each pavilion corner has only two facets along each rib line.

- 17. (Previously presented) The gemstone according to claim 6, wherein each pavilion side has four facets each having a facet corner intersecting at a common intersection point.
- 18. (Previously presented) The gemstone according to claim 7, wherein the number of facets on each pavilion corner is at least four.
- 19. (Previously presented) The gemstone according to claim 13, wherein the common facet intersection point is about ¾ of the way from the culet to the girdle.
- 20. (Previously presented) The gemstone according to claim 13, wherein the facet in each pavilion side, which has a facet corner at the culet, has four sides.
- (New) A cut cornered mixed cut gemstone, comprising a girdle, a crown above said girdle and a pavilion below said girdle,

said crown comprising a width and length formed by two pairs of opposing crown sides and four crown corners, each crown side and corner having a length along the girdle, said corner length being substantially less than said side length, said crown also comprising at least two steps, including a first step from the girdle to a crown break, and a second step from the crown break to a table break, said crown break defined by lines parallel with said girdle, said crown also having a substantially flat table, said table having one facet having four sides and four corners defined by lines parallel with said girdle, wherein all of the steps in each side of the crown are defined by straight lines from the girdle to the table,

Reissue of Patent No.: 6,363,745

Page 12

said pavilion having a bottom and comprising a substantially centrally located culet at the bottom of the pavilion, said pavilion also comprising two pairs of opposing pavilion sides and four pavilion corners defined by eight rib lines extending from the girdle to the culet, wherein each rib line extends in a substantially straight line when viewed from the bottom of the pavilion.